



LED Filament-Lighting

LED Filament Bulb (High Power)



01



Model No. 产品规格	Dimension DxH(mm)	Rated Power 额定功率	Lumen Efficacy 光效	Color Temp. 色温	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGY-ED120CT-EXX (XX: 40/50/60/80/100/120)	Φ120*288	40W / 50W / 60W 80W / 100W / 120W	160lm/W	3000K-6500K	9	41*27.5*32.2
XGY-ED90CT-EXX (XX: 30/40/50/60/80)	Φ90*238	30W / 40W / 50W 60W / 80W	160lm/W	3000K-6500K	20	52.5*42.5*27.2
XGY-ED75CT-EXX (XX: 18/24/30/40/50/60)	Φ75*180	18W / 24W / 30W 40W / 50W / 60W	160lm/W	3000K-6500K	25	45*45*21.7
XGY-T52CT-EXX (XX: 18/24/30/40/50/60)	Φ52*232	18W / 24W / 30W 40W / 50W / 60W	160lm/W	3000K-6500K	25	33.5*33.5*27
XGY-T46CT-EXX (XX: 18/24/30/40)	Φ46*210 Φ46*235	18W / 24W 30W / 40W	160lm/W	3000K-6500K	50	59*30*24.7 59*30*26.2
XGY-T38CT-EXX (XX: 18/24/30)	Φ38*165 Φ38*210	18W / 24W / 30W	160lm/W	3000K-6500K	50	50*25.5*20.2 50*25.5*24.7

☒ Total Lumen is referenced @ 3000K & CRI 80 & Clear Glass

LED Filament-Lighting

EU ERP Class A



- ✕ ERP Class A Clear Model
- ✕ 2.2W / 3.8W / 4.9W / 7.0W
- ✕ sdc<6
- ✕ Non-Flickering (ERP)



02



Model No. 产品规格	Dimension DxH(mm)	Rated Power Driver 额定功率 驱动	Total Lumen 光通量	Color Temp. 色温	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGY-C3501CT-E2.2/3.8	Φ35*100	2.2W / 3.8W	470lm/806lm	2700K-6500K	100	43*22.3*26.5
XGY-C35T01CT-E2.2/3.8	Φ35*123	2.2W / 3.8W	470lm/806lm	2700K-6500K	100	43*22.3*30.1
XGY-G4501CT-E2.2/3.8	Φ45*75	2.2W / 3.8W	470lm/806lm	2700K-6500K	50	29*29*20
XGY-A6001CT-E3.8/5/7.2	Φ60*108	3.8W / 5W / 7.2W	806lm/1055lm/1521lm	2700K-6500K	50	34.5*34.5*29
XGY-ST6401CT-E3.8/5/7.2	Φ64*142	3.8W / 5W / 7.2W	806lm/1055lm/1521lm	2700K-6500K	50	39*39*35
XGY-G8001CT-E3.8/5/7.2	Φ80*120	3.8W / 5W / 7.2W	806lm/1055lm/1521lm	2700K-6500K	50	45.5*45.5*29.7
XGY-G9501CT-E3.8/5/7.2	Φ95*135	3.8W / 5W / 7.2W	806lm/1055lm/1521lm	2700K-6500K	50	53*53*34
XGY-G12501CT-E3.8/5/7.2	Φ125*175	3.8W / 5W / 7.2W	806lm/1055lm/1521lm	2700K-6500K	20	66*53.2*22.3

✕ Total Lumen is referenced @ 2700K & CRI 80 & Clear Glass

LED Filament-Lighting

LED Filament Bulb (General Lighting)



❑ DC Model Available

❑ Dimmable Option

❑ Optional Bulb Color

Clear

Frosted

Opal

03



No Flicker



Dimmable
Option



Ra80/90



25000h



S: 120V | 230V
U: 85-265V



For Indoor



360°



>0.5



B22



E26



E27



E12



E14



G80



G95



ST64



G125



A60/A67



C35T



C35




G45

Model No. 产品规格	Dimension DxH(mm)	Rated Power Driver 额定功率 驱动	Lumen Efficacy 光效	Color Temp. 色温	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGY-C3501CT-E2/4/5	Φ35*100	2W / 4W / 5W	100-120lm/W	2700K-6500K	100	43*22.3*26.5
XGY-C35T01CT-E2/4/5	Φ35*123	2W / 4W / 5W	100-120lm/W	2700K-6500K	100	43*22.3*30.1
XGY-G4501CT-E2/4/5	Φ45*75	2W / 4W / 5W	100-120lm/W	2700K-6500K	50	29*29*20
XGY-A6001CT-E6/8/10/12/15	Φ60*108	6W / 8W / 10W / 12W/15W	100-120lm/W	2700K-6500K	50	34.5*34.5*29
XGY-ST6401CT-E6/8/10/12/15/18	Φ64*142	6W / 8W / 10W / 12W / 15W / 18W	100-120lm/W	2700K-6500K	50	39*39*35
XGY-G8001CT-E6/8/10/12/15/18	Φ80*120	6W / 8W / 10W / 12W / 15W / 18W	100-120lm/W	2700K-6500K	50	45.5*45.5*29.7
XGY-G9501CT-E6/8/10/12/15/18	Φ95*135	6W / 8W / 10W / 12W / 15W / 18W	100-120lm/W	2700K-6500K	50	53*53*34
XGY-G12501CT-E6/8/10/12/15/18	Φ125*175	6W / 8W / 10W / 12W / 15W / 18W	100-120lm/W	2700K-6500K	20	66*53.2*22.3
XGY-A6001CT-E15 (High Power)	Φ60*108	15W	167lm/W	2700K-6500K	50	34.5*34.5*29
XGY-A6701CT-E18 (High Power)	Φ67*125	18W	170lm/W	2700K-6500K	50	38*38*32.5
XGY-ST6401CT-E18 (High Power)	Φ64*142	18W	170lm/W	2700K-6500K	50	39*39*35

LED Filament-Lighting

LED Filament Bulb (Standard – T Series)



No Flicker



Dimmable
Option



Ra80/90



25000h



S: 120V | 230V
U: 85-265V



For Indoor




360°



>0.5

04



T28/T9



T28/T9



T28/T9



T28/T9



T45/T14



T25



T22



ST26

Fridge Bulb



E27



E12



E14



E17



B22



E26

Model No. 产品规格	Dimension DxH(mm)	Rated Power Driver 额定功率 驱动	Lumen Efficacy 光效	Color Temp. 色温	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸 (cm)
XGY-T28-135-E2	Φ28*135	2W	60-120lm/W	1800K-6500K	100	37*37*22.5
XGY-T28-185-E2/4/6	Φ28*185	2W / 4W / 6W	60-120lm/W	1800K-6500K	100	37*37*22.5
XGY-T28-225-E6/8	Φ28*225	6W / 8W	60-120lm/W	1800K-6500K	100	37*37*26.5
XGY-T28-300-E8/10/12	Φ28*300	8W / 10W / 12W	60-120lm/W	1800K-6500K	50	37*37*32.5
XGY-T45-E2/4/6	Φ45*113	2W / 4W / 6W	60-120lm/W	1800K-6500K	50	27*27*28.5
XGY-T2201RB-E2/2.5	Φ22*51	2W / 2.5W	90-120 lm/W	1800K-6500K	48	32*21.5*33.7
XGY-T2501RB-E2/4	Φ25*81	2W / 4W	90-120 lm/W	1800K-6500K	100	32*17*20.5
XGY-ST2601RB-E1/2	Φ26*60	1W / 2W	90-120 lm/W	1800K-6500K	100	32*17*22.5

☒ Total Lumen is referenced @ 2700K & CRI 80 & Clear Glass

LED Filament-Lighting

LED Filament Bulb (Vintage Edison & Decorative)



- DC Model Available
- Dimmable Option
- Optional Bulb Color

Amber

Gun Grey

Smoky

Gradient Color

05



No Flicker



Dimmable Option



Ra80/90



25000h



S: 120V | 230V
U: 85-265V



For Indoor



360°



>0.5



B22



E26



E27



E12



E14



G80



G95



ST64



G125



A60



C35T



C35



G45

Model No. 产品规格	Dimension DxH(mm)	Rated Power Driver 额定功率 驱动	Lumen Efficacy 光效	Color Temp. 色温	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGY-C3501CA-E2/4/5	Φ35*100	2W / 4W 5W	40-80lm/W	1800K-2200K	100	43*22.3*26.5
XGY-C35T01CA-E2/4/5	Φ35*123	2W / 4W 5W	40-80lm/W	1800K-2200K	100	43*22.3*30.1
XGY-G4501CA-E2/4/5	Φ45*75	2W / 4W 5W	40-80lm/W	1800K-2200K	50	29*29*20
XGY-A6001CA-E4/6/8/10	Φ60*108	4W / 6W 8W / 10W	40-80lm/W	1800K-2200K	50	34.5*34.5*29
XGY-ST6401CA-E4/6/8/10	Φ64*142	4W / 6W 8W / 10W	40-80lm/W	1800K-2200K	50	39*39*35
XGY-G8001CA-E4/6/8/10	Φ80*120	4W / 6W 8W / 10W	40-80lm/W	1800K-2200K	50	45.5*45.5*29.7
XGY-G9501CA-E4/6/8/10	Φ95*135	4W / 6W 8W / 10W	40-80lm/W	1800K-2200K	50	53*53*34
XGY-G12501CA-E4/6/8/10	Φ125*175	4W / 6W 8W / 10W	40-80lm/W	1800K-2200K	20	66*53.2*22.3

LED Filament-Lighting

LED Filament Bulb (Flexible Filament)



Model No. 产品规格	Dimension DxH(mm)	Filament Shape 灯丝形状	Rated Power 额定功率	Lumen Efficacy 光效	Color Temp. 色温	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGY-C3501PA-E2	Φ35*100	①④	2W	40-80lm/W	1800K-2200K	100	43*22.3*26.5
XGY-C35T01PA-E2	Φ35*123	①④	2W	40-80lm/W	1800K-2200K	100	43*22.3*30.1
XGY-G4501PA-E2	Φ45*75	①④	2W	40-80lm/W	1800K-2200K	50	29*29*20
XGY-T4501PA-E4	Φ45*110	③④⑥	2W / 4W	40-80lm/W	1800K-2200K	50	27*27*28.5
XGY-T3001PA-E4	Φ30*185	③④⑥	2W / 4W	40-80lm/W	1800K-2200K	100	37*19.5*40.5
XGY-A6001PAE4	Φ60*108	③④⑥	2W / 4W	40-80lm/W	1800K-2200K	50	34.5*34.5*29
XGY-ST6401PA-E4	Φ64*142	①②③④⑤⑥	2W / 4W	40-80lm/W	1800K-2200K	50	39*39*35
XGY-G8001PA-E4	Φ80*120	①②③④⑤⑥	2W / 4W	40-80lm/W	1800K-2200K	50	45.5*45.5*29.7
XGY-G9501PA-E4	Φ95*135	①②③④⑤⑥	2W / 4W	40-80lm/W	1800K-2200K	50	53*53*34
XGY-G12501PA-E4	Φ125*175	①②③④⑤⑥	2W / 4W	40-80lm/W	1800K-2200K	20	66*53.2*22.3

PA = Soft Filament Amber / PS = Soft Filament Smoky / PG = Soft Filament Gun Grey / PC = Soft Filament Gradient Color

LED Filament-Lighting

LED Filament Bulb (Ultra Slim Flexible Filament)



☒ DC Model Available

☒ Dimmable Option

☒ Optional Bulb Color

Clear

Amber

07



No Flicker



Dimmable Option



Ra80/90



25000h



S: 120V | 230V
U: 85-265V



For Indoor



360°



>0.5



B22



E26



E27



E12



E14



G95

ST64

G125

A60

C35

Model No. 产品规格	Dimension DxH(mm)	Filament Num. 灯丝数量	Rated Power 额定功率	Lumen Efficacy 光效	Color Temp. 色温	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGY-C3501PA-E2	Φ35*100	1 pcs	2W	40-80lm/W	1800K-2200K	100	43*22.3*26.5
XGY-C35T01PA-E2	Φ35*123	1 pcs	2W	40-80lm/W	1800K-2200K	100	43*22.3*30.1
XGY-G4501PA-E2	Φ45*75	1 pcs	2W	40-80lm/W	1800K-2200K	50	29*29*20
XGY-A6001PA-E2	Φ60*108	1 pcs	2W	40-80lm/W	1800K-2200K	50	34.5*34.5*29
XGY-ST6401PA-E2/4	Φ64*142	1/2 pcs	2W/4W	40-80lm/W	1800K-2200K	50	39*39*35
XGY-G8001PA-E2/4	Φ80*120	1/2 pcs	2W/4W	40-80lm/W	1800K-2200K	50	45.5*45.5*29.7
XGY-G9501PA-E2/4	Φ95*135	1/2 pcs	2W/4W	40-80lm/W	1800K-2200K	50	53*53*34
XGY-G12501PA-E2/4	Φ125*175	1/2 pcs	2W/4W	40-80lm/W	1800K-2200K	20	66*53.2*22.3
XGY-T4501PA-E4	Φ45*110	2 pcs	4W	40-80lm/W	1800K-2200K	50	27*27*28.5
XGY-T3001PA-E4	Φ30*185	1 pcs	4W	40-80lm/W	1800K-2200K	100	37*19.5*40.5

LED Filament-Lighting




LED Filament Bulb (Crown Reflector)



- ✕ DC Model Available
- ✕ Dimmable Option
- ✕ Optional Bulb Color

Reflector On Side Reflector On Top



08



Model No. 产品规格	Dimension DxH(mm)	Rated Power Driver 额定功率 驱动	Lumen Efficacy 光效	Color Temp. 色温	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGY-G4501CMR-E2/4	Φ45*75	2W / 4W	90-120 lm/W	2700K-6500K	50	29*29*20
XGY-A6001CMR-E4/6/8	Φ60*108	4W / 6W / 8W	90-120 lm/W	2700K-6500K	50	34.5*34.5*29
XGY-G8001CMR-E4/6/8	Φ80*120	4W / 6W / 8W	90-120 lm/W	2700K-6500K	50	45.5*45.5*29.7
XGY-G9501CMR-E4/6/8	Φ95*135	4W / 6W / 8W	90-120 lm/W	2700K-6500K	50	53*53*34
XGY-G12501CMR-E4/6/8	Φ125*175	4W / 6W / 8W	90-120 lm/W	2700K-6500K	20	66*53.2*22.3

LED Filament-Decorate



LED Filament Bulb (Huge Bulb)



09

- ✗ 6 Light Color Options
- ✗ Dimmable Option
- ✗ Optional Bulb Color



Gun Grey



Smoky



Amber

CE CB RoHS ErP



No Flicker



Dimmable
Option



Ra80



25000h



S: 120V | 230V
U: 120-240V



For Indoor



360°



>0.5



E27



E40



XGY-3.5K-E4/6

Dimension
DxH(mm) | $\Phi 120 \times 430$



XGY-BT180-E4/6

Dimension
DxH(mm) | $\Phi 180 \times 360$



XGY-BT118-E4/6

Dimension
DxH(mm) | $\Phi 118 \times 258$



XGY-G380-E4/6 (E40 Base)

Dimension
DxH(mm) | $\Phi 380 \times 510$



XGY-G200-E4/6

Dimension
DxH(mm) | $\Phi 200 \times 300$



XGY-G150-E4/6

Dimension
DxH(mm) | $\Phi 150 \times 240$



XGY-ER180-E4/6

Dimension
DxH(mm) | $\Phi 180 \times 300$



XGY-PS160(PS52)-E4/6

Dimension
DxH(mm) | $\Phi 160 \times 300$



XGY-PS130(PS42)-E4/6

Dimension
DxH(mm) | $\Phi 130 \times 250$



XGY-PS110(PS35)-E4/6

Dimension
DxH(mm) | $\Phi 110 \times 200$



XGY-PS95(PS30)-E4/6

Dimension
DxH(mm) | $\Phi 95 \times 180$



XGY-TT75-E4/6

Dimension
DxH(mm) | $\Phi 75 \times 240$



XGY-R280-E4/6

Dimension
DxH(mm) | $\Phi 280 \times 430$



XGY-R160-E4/6

Dimension
DxH(mm) | $\Phi 160 \times 245$



XGY-MR200-E4/6

Dimension
DxH(mm) | $\Phi 196 \times 210$



XGY-JP110-E4/6

Dimension
DxH(mm) | $\Phi 110 \times 307$



XGY-MR180-E4/6

Dimension
DxH(mm) | $\Phi 180 \times 190$



XGY-AT160-E4/6

Dimension
DxH(mm) | $\Phi 160 \times 280$



XGY-BA200-E4/6

Dimension
DxH(mm) | $\Phi 200 \times 410$



XGY-BR200-E4/6

Dimension
DxH(mm) | $\Phi 200 \times 245$



XGY-DB200-E4/6

Dimension
DxH(mm) | $\Phi 200 \times 410$



XGY-NT170-E4/6

Dimension
DxH(mm) | $\Phi 170 \times 240$



XGY-NG120-E4/6

Dimension
DxH(mm) | $\Phi 120 \times 155$



XGY-NV125-E4/6

Dimension
DxH(mm) | $\Phi 120 \times 155$



XGY-T170-E4/6

Dimension
DxH(mm) | $\Phi 170 \times 270$



XGY-OT120-E4/6

Dimension
DxH(mm) | $\Phi 110 \times 200$



XGY-BOTTLE73-E4/6

Dimension
DxH(mm) | $\Phi 95 \times 180$



XGY-ALIEN-E4/6

Dimension
DxH(mm) | $\Phi 75 \times 240$



XGY-DROP-E4/6

Dimension
DxH(mm) | $\Phi 175 \times 270$



XGY-GU160-E4/6

Dimension
DxH(mm) | $\Phi 160 \times 400$



XGY-R220-E4/6

Dimension
DxH(mm) | $\Phi 220 \times 225$



XGY-BV200-E4/6

Dimension
DxH(mm) | $\Phi 200 \times 410$



XGY-A165-E4/6

Dimension
DxH(mm) | $\Phi 165 \times 280$



XGY-BT180-E4/6

Dimension
DxH(mm) | $\Phi 180 \times 360$



XGY-D140-E4/6

Dimension
DxH(mm) | $\Phi 140 \times 200$



XGY-AA12L-E4/6

Dimension
DxH(mm) | $\Phi 120 \times 420$



XGY-AG220-E4

Dimension
DxH(mm) | $\Phi 220 \times 225$



XGY-G200-E4

Dimension
DxH(mm) | $\Phi 200 \times 256$



XGY-DG170-E4

Dimension
DxH(mm) | $\Phi 170 \times 270$



XGY-RT140-E4

Dimension
DxH(mm) | $\Phi 140 \times 200$



XGY-V160-E4

Dimension
DxH(mm) | $\Phi 160 \times 225$



XGY-V220-E4

Dimension
DxH(mm) | $\Phi 220 \times 365$



XGY-CF135-E4

Dimension
DxH(mm) | $\Phi 135 \times 440$



XGY-F117-E4

Dimension
DxH(mm) | $\Phi 117 \times 365$



XGY-F78-E4

Dimension
DxH(mm) | $\Phi 78 \times 258$



XGY-VA115-E4

Dimension
DxH(mm) | $\Phi 115 \times 315$



XGY-PG190-E6

Dimension
DxH(mm) | $\Phi 190 \times 238$



XGY-PS165-E4

Dimension
DxH(mm) | $\Phi 160 \times 275$



XGY-UFO-E6

Dimension
DxH(mm) | $\Phi 193 \times 160$



XGY-165Alien

Dimension
DxH(mm) | $\Phi 200 \times 150$



XGY-Goose Eggs

Dimension
DxH(mm) | $\Phi 170 \times 280$



XGY-Flat Pumpkin

Dimension
DxH(mm) | $\Phi 160 \times 265$

LED Filament-Decorate



LED Filament Bulb (Special Shape Bulb)



13

- ✗ 6 Light Color Options
- ✗ Dimmable Option
- ✗ Optional Bulb Color

Amber

CE CB  ErP



No Flicker



Dimmable
Option



Ra80



25000h



S: 120V | 230V
U: 120-240V



For Indoor



360°



>0.5



B22



E26



E27



XGY-BD75-E4

Dimension
DxH(mm) | $\Phi 75 \times 150$



XGY-WV115-E4

Dimension
DxH(mm) | $\Phi 115 \times 170$



XGY-TO95-E4

Dimension
DxH(mm) | $\Phi 95 \times 160$



XGY-ST140-E4

Dimension
DxH(mm) | $\Phi 130 \times 160$



XGY-GS95-E4

Dimension
DxH(mm) | $\Phi 95 \times 130$



XGY-125HT-E4

Dimension
DxH(mm) | $\Phi 125 \times 165$



XGY-D95-E4

Dimension
DxH(mm) | $\Phi 95 \times 160$



XGY-GC115-E4

Dimension
DxH(mm) | $\Phi 115 \times 160$



XGY-GT125-E4

Dimension
DxH(mm) | $\Phi 125 \times 160$



XGY-GP90-E4

Dimension
DxH(mm) | $\Phi 90 \times 130$



XGY-V90-E4

Dimension
DxH(mm) | $\Phi 90 \times 150$



XGY-GB125-E4

Dimension
DxH(mm) | $\Phi 125 \times 160$



XGY-G125BW-E4

Dimension
DxH(mm) | $\Phi 125 \times 165$



XGY-TREE3-E4

Dimension
DxH(mm) | $\Phi 84 \times 275$



XGY-TREE5-E4

Dimension
DxH(mm) | $\Phi 84 \times 275$



XGY-TREE2-E4

Dimension
DxH(mm) | $\Phi 80 \times 170$

LED Filament-Decorate



LED Filament Bulb (Letter Bulb)



15

- ☒ Soft Filament to Draw Letter Light Effect
- ☒ High Quality Driver with Minimized Flickering
- ☒ Optional Color Light (R / G / B / Y / Orange / Purple / Pink)

CE CB RoHS ErP



No Flicker



Dimmable
Option



Ra80



25000h



S: 120V | 230V



For Indoor



360°



>0.5



B22



E26



E27



Amber



Clear



Gun Color

Model No. 产品规格	Dimension DxH(mm)	Filament Shape 灯丝样式	Rated Power 额定功率	Lumen Efficacy 光效	Color Temp. 色温	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGY-G12501CT-LB-E4	Φ125*172	LOVE Can be customized	4W	40-60 lm/W	Can be customized	20	66*53.2*22.3


☒ Total Lumen is referenced @ 2200K & CRI 80 & Amber Glass Shell



XGY-Whores




XGY-Dicks



XGY-Dude



XGY-CRAZY




XGY-Cheers



XGY-Love



XGY-Home




XGY-Legit




XGY-Woke




XGY-Psyched




XGY-King




XGY-Queen




XGY-Amped



XGY-CALM




XGY-I Love U



XGY-Life




XGY-Xmas



XGY-Kiss



XGY-Great



XGY-Kudos



XGY-Thanks!



XGY-Sweet Dreams




XGY-Happy family



XGY-Add Oil



XGY-On fire



XGY-No EMO



XGY-Sweet Heart



XGY-Head Shot




XGY-Shut up



XGY-WHY ME



XGY-No Problem




XGY-Nailed it



XGY-Damn Good



XGY-No Smoking



XGY-ASS HOLE



XGY-Be My Guest



XGY-Be Right Back



XGY-To be Honest




XGY-Heart&Star




XGY-You Bad Bad




XGY-Oh my God



XGY-Delulu is the Solulu



XGY-Cool



XGY-OMG



XGY-Newbie




XGY-Rookie




XGY-Novice




XGY-RPG



XGY-BUFF




XGY-NPC



XGY-Juggling



XGY-Cheesing




XGY-Props




XGY-Kudos



XGY-RIZZ



XGY-Pissed



XGY-Boof!



XGY-Amour



XGY-Gaming




XGY-Rock



XGY-Music



XGY-Pota



XGY-Summer



XGY-Autumn



XGY-Spring



XGY-Winter




XGY-Good




XGY-Epic



XGY-AWESOME



XGY-C & L



XGY-First Kill




XGY-Dream Big




XGY-Gas Up




XGY-United Kingdom




XGY-Bird




XGY-Candy




XGY-Arrow in Heart




XGY-Treble




XGY-Heart




XGY-Smile




XGY-Two hearts



XGY-Flower



XGY-Lips



XGY-Skeleton

LED Filament-Decorate



LED Filament Bulb (Cartoon Bulb)



- High Quality Driver with Minimized Flickering
- Soft Filament to Draw Cartoon Shape Light Effect
- Flash Mode Available

Clear

18

CE CB RoHS ErP



No Flicker



Dimmable Option



Ra80



25000h



S: 120V | 230V



For Indoor



360°



>0.5



B22



E26



E27



A60



G125




G95

Model No. 产品规格	Dimension DxH(mm)	Rated Power 额定功率	Lumen Efficacy 光效	Color Temp. 色温	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGY-A6001CT-CB-E2	Φ60*108	2W	20-40 lm/W	Can be customized	50	34.5*34.5*29
XGY-G9501CT-CB-E2	Φ95*135	2W	20-40 lm/W	Can be customized	50	53*53*34
XGY-G12501CT-CB-E2	Φ125*172	2W	20-40 lm/W	Can be customized	20	66*53.2*22.3


Total Lumen is referenced @ 2200K & CRI 80 & Amber Glass Shell




XGY-Butterfly




XGY-Bell



XGY-Heart




XGY-Present




XGY-Snowman



XGY-Rainbow



XGY-Moon




XGY-Cross




XGY-Cloud




XGY-Deer2




XGY-Snowflake




XGY- Santa Claus



XGY-Unicorn



XGY-Bee



XGY-Tree




XGY-Bird1




XGY-Victory




XGY-Dollar




XGY-Heart




XGY-Fist



XGY-Swan




XGY-Treple




XGY-Smile



XGY- Love&Heart




XGY-Spaceman



XGY-Skull




XGY-Mushroom




XGY-Double heart



XGY-Star




XGY-Ghost



XGY-Thunder




XGY-Christmas tree



XGY-Arrow in hearts




XGY-Home




XGY-Cool




XGY-Dream




XGY-Aries




XGY-Taurus




XGY-Pisces




XGY-Gemini




XGY-Virgo




XGY-Cancer




XGY-Scorpio



XGY-Libra




XGY-Aquarius




XGY-Capricorn




XGY-Leo




XGY-Sagittarius



XGY-Flame




XGY-Lips




XGY-Musicnote



XGY-Hohoho




XGY-Planet



XGY-Rose



XGY-LoveMom



XGY-Hello



XGY-Smile



XGY-heart




XGY-Gin



XGY-H₂O



XGY-Be Happy



XGY-Love



XGY-Love Dad



XGY-Relax



XGY-Love



XGY-Calm



XGY-Happy



XGY-Sweet



XGY-Beer



XGY-Star



XGY-Fuck



XGY-Boss

LED Filament-Decorate



LED Filament Bulb (DC Cartoon Bulb)



21

Soft Filament to Draw Cartoon Shape Light Effect

Clear

CE CB RoHS ErP



No Flicker



Dimmable
Option



Ra80



25000h



DC 4.5V



360°



>0.5




E40




Model No. 产品规格	Dimension DxH(mm)	Rated Power 额定功率	Lumen Efficacy 光效	Features 特性	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸 (cm)
XGY-A6801CT-CB-E0.2	Φ70*118	<0.5W Discharge 6 Hrs@300mA	20-40 lm/W	DC Type C 200/250/300mA Li-Ion Battery	100	78*39*28.5


Total Lumen is referenced @ 2200K & CRI 80 & Amber Glass Shell




XGY-Tree




XGY-Star




XGY-Rainbow




XGY-Thunder




XGY-Cancer




XGY-Snowflake




XGY-Star+Moon




XGY-Butterfly




XGY-Smile




XGY-Present



XGY-Pumpkin




XGY-Frog




XGY-Heart




XGY-Cloud




XGY-Arrow in hearts




XGY-Sun




XGY-Unicorn




XGY-Bell




XGY-Flame




XGY-Snowman




XGY-Flowers




XGY-Cat



XGY-Fist



XGY-Victory



XGY-Bee

LED Filament-Decorate



Decorate Table Lamp Base (Glass Integrated Lime)



23

CE CB RoHS ErP



No Flicker



Dimmable
Option



Ra80



25000h



DC 4.5V



360°



>0.5




Model No. 产品规格	Dimension DxH(mm)	Rated Power 额定功率	Lumen Efficacy 光效	Color & Material 颜色&材质	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGYTLB-GILM-RCU-CRP	Φ68*121.5	<0.5W Discharge 6 Hrs@300mA	20-40 lm/W	Glass & Lime [Rectangular Cuboid] Corrugated Roll Pattern Cartoon Bulb Style	50	385*385*285
XGYTLB-GILM-CYL-CRP	Φ68*121.5	<0.5W Discharge 6 Hrs@300mA	20-40 lm/W	Glass & Lime [Cylindrical] Corrugated Roll Pattern Cartoon Bulb Style	50	385*385*285
XGYTLB-GILM-CON-CS	Φ68*121.5	<0.5W Discharge 6 Hrs@300mA	20-40 lm/W	Glass & Lime [Cone] Corrugated Roll Pattern Cartoon Bulb Style	50	385*385*285
XGYTLB-GILM-BUL-CS	Φ68*121.5	<0.5W Discharge 6 Hrs@300mA	20-40 lm/W	Glass & Lime [Bullet] Corrugated Roll Pattern Cartoon Bulb Style	50	385*385*285
XGYTLB-GILM-CYL-CS	Φ68*121.5	<0.5W Discharge 6 Hrs@300mA	20-40 lm/W	Glass & Lime [Cylindrical] Corrugated Roll Pattern Cartoon Bulb Style	50	385*385*285
XGYTLB-GILM-RCU-CS	Φ68*121.5	<0.5W Discharge 6 Hrs@300mA	20-40 lm/W	Glass & Lime [Rectangular Cuboid] Corrugated Roll Pattern Cartoon Bulb Style	50	385*385*285

☒ Total Lumen is referenced @ 2200K & CRI 80 & Amber Glass Shell

LED Filament-Function

Smart LED Filament Bulb (WIFI & Bluetooth Control)



CCT Control



Brightness Control

Alexa, Please dim down to 80%

Alexa, I'd like a cooler light color

OK, master



Mobile APP:



CE CB RoHS ErP



No Flicker



Dimmable Option



Ra80



25000h



S: 120V/230V



For Indoor



360°



>0.5



B22



E26




E27

Model No. 产品规格	Dimension DxH(mm)	Rated Power 额定功率	Lumen Efficacy 光效	Color Temp. 色温	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGY-A6001WFBT-E4/6 (CCT+DIM / RGB+DIM)	Φ60*108	4W / 6W	90-100lm/W (100% Brightness Opal)	RGBCW	100	34.5*34.5*29
XGY-G8001WFBT-E4/6 (CCT+DIM / RGB+DIM)	Φ80*120	4W / 6W	350-400 lm (100% Brightness Opal)	RGBCW	100	45.5*45.5*29.7
XGY-G9501WFBT-E4/6 (CCT+DIM / RGB+DIM)	Φ95*135	4W / 6W	350-400 lm (100% Brightness Opal)	RGBCW	50	53*53*34
XGY-G12501WFBT-E4/6 (CCT+DIM / RGB+DIM)	Φ125*175	4W / 6W	350-400 lm (100% Brightness Opal)	RGBCW	20	66*53.2*22.3
XGY-ST5801WFBT-E4/6 (CCT+DIM / RGB+DIM)	Φ58*130	4W / 6W	350-400 lm (100% Brightness Opal)	RGBCW	50	39*39*35
XGY-ST6401WFBT-E4/6 (CCT+DIM / RGB+DIM)	Φ64*142	4W / 6W	350-400 lm (100% Brightness Opal)	RGBCW	50	39*39*35

LED Filament-Function



Dimmable LED Filament Bulb (3 Step Dimming)



20% / 50% / 100%
Switching Control

3 CCT Changable

Home Switch Control

Memory Function



20%

50%

100%



CE CB ErP



No Flicker



Dimmable
Option



Ra80



25000h



S: 120V | 230V



For Indoor



360°



>0.5



B22



E26



E27



E12



E14


Model No. 产品规格	Dimension DxH(mm)	Rated Power 额定功率	Lumen Efficacy 光效	Color Temp. 色温	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGY-C3501SDIM-E4	Φ35*100	4W	90-110 lm (20 50 100%)	2700K-6500K	100	43*22.3*26.5
XGY-G4501SDIM-E4	Φ45*75	4W	90-110 lm (20 50 100%)	2700K-6500K	50	29*29*20
XGY-A6001SDIM-E4/6	Φ60*108	4W / 6W	90-110 lm (20 50 100%)	2700K-6500K	50	34.5*34.5*29
XGY-G8001SDIM-E4/6	Φ80*120	4W / 6W	90-110 lm (20 50 100%)	2700K-6500K	50	45.5*45.5*29.7
XGY-G9501SDIM-E4/6	Φ95*135	4W / 6W	90-110 lm (20 50 100%)	2700K-6500K	50	53*53*34
XGY-G12501SDIM-E4/6	Φ125*175	4W / 6W	90-110 lm (20 50 100%)	2700K-6500K	20	66*53.2*22.3

Total Lumen is referenced @ 2700K & CRI 80 & Clear Glass

LED Filament-Function



CCT adjustable LED Filament Bulb (3 Step CCT)



26



2700K Warm white 4000K Natural white 6500K Cold white

CE CB  ErP



No Flicker



Dimmable
Option



Ra80



25000h



S: 120V | 230V



For Indoor



360°



>0.5



B22



E26



E27



E12



E14

Model No. 产品规格	Dimension DxH(mm)	Rated Power 额定功率	Lumen Efficacy 光效	Color Temp. 色温	PCS/CTN 装箱数量	CTN MEAS. 装箱尺寸(cm)
XGY-C3501CCT-E4	Φ35*100	4W	90-110lm/W	2700K-6500K	50	34.5*34.5*29
XGY-G4501CCT-E4	Φ45*75	4W	90-110lm/W	2700K-6500K	50	45.5*45.5*29.7
XGY-A6001CCT-E4/6	Φ60*108	4W / 6W	90-110lm/W	2700K-6500K	50	53*53*34
XGY-G8001CCT-E4/6	Φ80*120	4W / 6W	90-110lm/W	2700K-6500K	50	66*53.2*22.3
XGY-G9501CCT-E4/6	Φ95*135	4W / 6W	90-110lm/W	2700K-6500K	50	39*39*35
XGY-G12501CCT-E4/6	Φ125*175	4W / 6W	90-110lm/W	2700K-6500K	50	39*39*35